Gran Turismo 40

OPEN



Gran Turismo 40

OPEN

INTRODUCTION
- Specifications
- Side Elevation
- Layout
- Coupe vs Open
- Key points

EXTERIOR
- Key points
- Galley
- Dimensions

WHEELHOUSE
- Pilot Station
- Dimensions
- Headroom

LOWER DECK
- Salon / Cabin
- Head
- Mid Cabin
- Dimensions
- Headroom

INNOVATIONS
- Innovations

TECHNICAL
- Mooring kit
- Technical equipment
- Outlets
- Air Conditioning
- Audiovisual
- Air draft
- Performances

*Vous pouvez revenir à cette page à n'importe quel moment. Cliquez sur le logo Bénéteau, en bas de page.
You can return to this page anytime. Click on the Bénéteau logo, at the bottom of the page.

BENETEAU

SPECIFICATIONS

PROVISIONAL SPECS

MAIN SPECIFICATIONS	OB	IB	OB US	IB US
Length Overall (included anchor and engines)	12,58m	12,3m	41’3’’	40’4’’
Hull Length	11,14m	10,86m	36’7’’	35’8’’
Overall Beam	3,70m	3,70m	12’2’’	12’2’’
Overall Beam + open side terraces	5,32m	5,32m	17’5’’	17’5’’
Water Draft (full load)	1,15m	1,15m	3’9’’	3’9’’
Air Draft (included radar support, light load)	3,97m	3,97m	13’0’’	13’0’’
Light Displacement	8755 kg	9041 kg	19 296 lbs	19 926 lbs
Berths	4			
EC Certification	B8 / C10 / D10			
Architect	Michael Peters Yacht Design			
Designer	Andreani Design			

CAPACITY



Fuel
IB : 900 L - 236 US Gal
OB : 1200 L - 318 US Gal



Water
255 L
67 US gal



Water hot tank
25 L
7 US gal



Black water tank
80 L
21 US gal


MOTORISATION / PERFORMANCE



OB : 2 X 425 HP
IB : 2 X 370 HP




Speed Max
OB : 39 kts*
IB : 32 kts*



Autonomy
2 X 370 HP : 250 nm* @ 22 knots
(*10% fuel reserve)


*10% fuel reserve, zero sea state, clean hull & drivetrain
Provisional specs, TBC after seatest


OPEN







OPEN







OPEN







OPEN





OPEN







OPEN







OPEN













Coupe vs Open

























Coupe vs Open














New generation Gran Turismo – Range Philosophy

VILLA LIVING

Increased exterior space for a better user experience

OPTIMUM DRIVE

Deliver an enhanced sports focus driving experience

STYLE & ELEGANCE

« Design to be remarkable » : powerful design profile and lines that build a strong, purposeful identity



The new Gran Turismo range has been created following these Japanese design philosophies :

Interior Kanso (simplicity) :
calm interior spaces with ambiant lighting and surfaces

Exterior Yugen (gracefulness) :
The elegant low profile shape & styling allows a calm well proportioned presence on the water

Gran Turismo 40 Open - Key selling points

OPEN

- Purposeful clean and graceful exterior lines – following Yugen philoshophy
- Safe & easy circulation – safe passage in front of outboards (No pit of cables)
- « Stepless » bathing platform, cockpit and when deployed – side balconies
- Huge cockpit area featuring vis-a-vis sofas and galley / aft facing bar with plentiful refridgeration
- Easy portside deck access to foredeck bow rider seating with sunpad conversion
- Bathroom with separate shower cubicle
- Open plan lower accommodation with open atrium entry stairwell
- Lower sideboard unit with optional microwave
- Gyro stabiliser option
- Optional « Silent boat » Solar panels & Lithium Batteries


EXTERIOR



Exterior - Key Points



Exterior - Key Points



Exterior – Key Points




Exterior – Key Points



Exterior - Galley



Exterior -Dimensions




Exterior -Dimensions






WHEELHOUSE

Wheelhouse – Pilot Station



Main deck - Dimensions





LOWER DECK

Lower deck - Salon/Cabin



Lower deck - Salon/Cabin



Lower deck - Salon/Cabin



Lower deck - Head



Mirrors with LED lighting

Corian worktop with LED illumination

Shower with PMMA door


Storage

BENETEAU


Lower deck - Mid cabin




Lower deck - Dimensions



Port and starboard backrest stored into forward storage when dinette is converted into double bed



Lower deck - Headroom




INNOVATIONS



GRAN TURISMO 40 – Innovations

- Silent boat pack
- Light and sound pack Fusion HiFi and Lumishore lights with hull « light blades »
- Alpine Version

SILENT BOAT PACK



1 4x 130w solar panels on hard top *(-10% efficiency)* = 520 wp
Power bank: 5x Lithium batteries (330 Ah / 12V) = 1650 Ah
Inverter 5KVA (12v)

NOT IN COMBINATION WITH GENERATOR OPTION

SILENT BOAT

Delivers up to 5* hours of on anchor autonomy without the need to run the generator.

*Reasonable usage examples : not running air conditioning and leaving lights, TV's etc on in unoccupied spaces, closing patio doors, etc.

Light and Sound pack

LUMISHORE + FUSION® A Garmin Brand

The Lumishore lighting system, integrated through Garmin's OneHelm™, is a sophisticated marine LED lighting solution offering full customization, intuitive control, and seamless integration with existing navigation equipment.

Integration and Centralized Control

Plug-and-play connection: The Lumi-Link Command Center connects directly to Garmin's MFD via a single cable, simplifying installation and reducing clutter at the helm.

User-friendly interface: Access an intuitive control interface directly from the MFD screen, featuring a color wheel for selecting hues and sliders to adjust brightness and white balance.

Zonal lighting control: Manage lighting by specific zones on the boat, with customizable presets for different moods or activities.

Advanced Lighting Features


CRGBW multicolor lighting: Supports red, green, blue, warm white, and cool white LEDs, allowing complete ambiance customization.

Dynamic modes: Includes pre-programmed effects like strobe, color sweep, color cycle, and a unique "Sound-to-Light" mode that syncs lighting with music.

Customizable scenes: Create personalized lighting scenes for various onboard experiences, from entertaining to relaxing.







Fusion Apollo RA670 + 4 premium speakers + Subwoofer RGBW
Indirect Lumishore lighting for hull, pilot station , cockpit and foredeck
Underwater lights RGBW

Alpine Version







Alpine Design & Finishes:
Furniture upholstered in Linetex Sphere Blue (cabins)
Interior/exterior upholstery: Linetex Sphere Blue + Tannery Light Sugar, embroidery + Alpine logos
Matching pilot bench seats + Alpine Isotta Fanete steering wheel (Skai + Alcantara)

Elegant black ambience :
Black lacquered kitchen furniture (RAL 9005)
Carbon pilot console with Alpine decoration
Black hardtop with Alpine logos and decoration
Black taps, washbasin, handles, pushlock
Black details: handrails, table legs, cleats, cup holders, liston, gates

Lighting & hull:
Spot and courtesy lighting, 100% black
White hull + Alpine decoration sticker









BENETEAU




TECHNICAL

MOORING KIT

Chain lenght	32 m	147’8’’
Chain diameter	10 mm	3/8’’
Anchor weight	20 kg	44 lbs
Rope length	45 m	39’4’’
Rope diameter	18 mm	5/8"
Fender dimensions with covers (6)	700 x 250 mm	2’4’’x10’’

TECHNICAL EQUIPMENT LOCATION

INBOARD VERSION



Grey water tank
(7 L – 2 US GAL)


Diesel tank
(2 x 445 L – 2 x 118 US GAL)

Black water tank
(80 L - 21 US GAL)

Water tank
(255 L – 67 US GAL)

TECHNICAL EQUIPMENT LOCATION

OUTBOARD VERSION



Grey water tank
(Standard : 7 L – 2 US GAL)


Gas tank
(2 x 600 L – 2 x 159 US Gal)

Black water tank
(80 L – 21 US Gal)

Water tank
(255 L – 67 US GAL)


TECHNICAL EQUIPMENT LOCATION

INBOARD VERSION



TECHNICAL EQUIPMENT LOCATION

OUTBOARD VERSION



Starter batteries (x2)
(12 V – 120 Ah)

Generator

Electric panel

Water heater
(25 L – 7 US Gal)


Seakeeper

Service batteries (x3)
(12 V - 140 Ah)

Bow thruster batteries


ELECTRICAL & USB OUTLETS

MAIN DECK



- Induction charger
- Electrical outlet
- USB outlet


ELECTRICAL & USB OUTLETS
LOWER DECK




Electrical outlet

USB outlet

AIR CONDITIONING
LOWER DECK






Reverse cycle air conditioning


A/C Vents

Control

AUDIO VISUAL

MAIN DECK - STANDARD







Speakers

Fusion unit

AUDIO VISUAL
MAIN DECK – OPTIONS







Upgrade Fusion unit


TV emplacement in T-Top
(MAX TV SIZE : 32'')

RGBW Premium Subwoofer

RGBW Premium Speakers

AUDIO VISUAL


LOWER DECK – ENTERTAINMENT PACK




Speakers

Fusion unit

TV emplacement
(MAX VIP CABIN TV SIZE: 32'')



Air draft light load
Draught full load



Air draft light load
Draught full load

PERFORMANCE

BENETEAU

MERCURY 2 x 425 HP V10

Caractéristique / Specifications:
MERCURY 2 x 425 HP V10 XXXL
Hélices / Propellers : HEL MERC OB REVO X 18P LH
HEL MERC OB REVO X 18P RH

Déplacement total du bateau / Total displacement of boat tested: 11131 kg - 24,533 lbs

Regime en tours par minute au tableau de bord / RPM on instrument panel	Vitesse en nœuds moyenne au radar / Average speed on the radar in knots	Consommation moteur en litres par heure / consumption engine in liter an hour	Consommation litres par miles nautiques / Consumption Liters on nautical miles (L/NM)	Consommation totale en USGal / heure Total consumption in GPH	Consommation US Gal par miles nautiques / Consumption US Gal on nautical miles (US Gal/NM)	Autonomie en NM (avec réserve 10%) /Range in NM (with 10% fuel supply)
600	2,75 Nds	7,30 l	2,65l/miles	1,9 USGal	10,1 GAL/NM	372,95 MN
1000	4,50 Nds	12,10 l	2,69l/miles	3,2 USGal	10,2 GAL/NM	368,18 MN
1500	6,35 Nds	21,60 l	3,40l/miles	5,7 USGal	12,9 GAL/NM	291,04 MN
2000	7,65 Nds	34,00 l	4,44l/miles	9,0 USGal	16,8 GAL/NM	222,75 MN
2500	8,75 Nds	44,00 l	5,03l/miles	11,6 USGal	19,0 GAL/NM	196,88 MN
3000	10,55 Nds	70,50 l	6,68l/miles	18,6 USGal	25,3 GAL/NM	148,15 MN
3500	12,45 Nds	92,50 l	7,43l/miles	24,4 USGal	28,1 GAL/NM	133,25 MN
4000	15,75 Nds	121,50 l	7,71l/miles	32,1 USGal	29,2 GAL/NM	128,33 MN
4500	20,00 Nds	145,00 l	7,25l/miles	38,3 USGal	27,5 GAL/NM	136,55 MN
4550	25,20 Nds	140,00 l	5,56l/miles	37,0 USGal	21,0 GAL/NM	178,20 MN
5000	29,00 Nds	189,00 l	6,52l/miles	49,9 USGal	24,7 GAL/NM	151,90 MN
5700	34,25 Nds	254,00 l	7,42l/miles	67,1 USGal	28,1 GAL/NM	133,49 MN
6450 (15% trim)	36,85 Nds	266,50 l	7,23l/miles	70,4 USGal	27,4 GAL/NM	136,89 MN

Conditions optimales théoriques et purement indicatives des essais: / Optimal theoretical conditions, purely indicative for trials :
Coque neuve, vent 0 - 5 nds, mer calme / new hull, wind 0 - 5 knots, calm sea

27/08/2026